

GUIDE BARS FOR STATIONARY AND MOBILE SAWS PRINZ TKS, BPS, MOBIL CUT / NAMA




CUTTING LENGTH (CM)		120	150	170	200	225
TOTAL LENGTH (CM)		137,5	163	182	212	237,5
GROOVE (MM)		2	2	2	2	2
HIGH-FREQUENCY HARDENED	NR PRINZ	FSTKS2HF120	FSTKS2HF150	FSTKS2HF170	FSTKS2HF200	FSTKS2HF225
WITH STELLIT LAYER ON ONE SIDE	NR PRINZ	FSTKS2/1X120	FSTKS2/1X150	FSTKS2/1X170	FSTKS2/1X200	FSTKS2/1X225
WITH STELLIT LAYER ON BOTH SIDES	NR PRINZ	FSTKS2/2X120	FSTKS2/2X150	FSTKS2/2X170	FSTKS2/2X200	FSTKS2/2X225
GROOVE (MM)		3	3	3	3	3
HIGH-FREQUENCY HARDENED	NR PRINZ	FSTKS3HF120	FSTKS3HF150	FSTKS3HF170	FSTKS3HF200	FSTKS3HF225
WITH STELLIT LAYER ON ONE SIDE	NR PRINZ	FSTKS3/1X120	FSTKS3/1X150	FSTKS3/1X170	FSTKS3/1X200	FSTKS3/1X225
WITH STELLIT LAYER ON BOTH SIDES	NR PRINZ	FSTKS3/2X120	FSTKS3/2X150	FSTKS3/2X170	FSTKS3/2X200	FSTKS3/2X225

* stellit layer significantly increases life-span (3-4x) of the guide bar in compare with high-frequency hardened guide bars

SAW CHAINS FOR STATIONARY AND MOBILE SAWS PRINZ TKS, BPS, MOBIL CUT / NAMA

NUMBER OF LINKS	80	93	103	118	130
THICKNESS OF THE DRIVING LINK (MM)	2	2	2	2	2
PITCH (MM)	20	20	20	20	20



Scraper chains (S/SK) are particularly suited to cut packs. They assure a precise and fine cut. Scraper chains do not tear, chip or splinter your lumber as some other conventional chains. Recommended for all packsaws.

Scraper type SK	NR PRINZ	K-S20/2/80	K-S20/2/93	K-S20/2/103	K-S20/2/118	K-S20/2/130
------------------------	-----------------	------------	------------	-------------	-------------	-------------



Chipper type saw chains (HZ) – especially suitable for cutting of round wood. They enable quick cutting and efficient work. Cut possible in any direction (horizontal cut).

Chipper type HZ	NR PRINZ	K-HZ20/2/80	K-HZ20/2/93	K-HZ20/2/103	K-HZ20/2/118	K-HZ20/2/130
THICKNESS OF DRIVING LINK (MM)		3	3	3	3	3
PITCH (MM)		20	20	20	20	20
Scraper type SK	NR PRINZ	K-S20/3/80	K-S20/3/93	K-S20/3/103	K-S20/3/118	K-S20/3/130
Chipper type HZ	NR PRINZ	K-HZ20/3/80	K-HZ20/3/93	K-HZ20/3/103	K-HZ20/3/118	K-HZ20/3/130

* we recommend also carbide tipped chains for cutting particleboards and hard or frozen wood

ROLL OF SAW CHAIN, 100 FEET (744 LINKS)

THICKNESS OF DRIVING LINK 2MM

Scraper type SK	NR PRINZ	K-S20/2/R
Chipper type HZ	NR PRINZ	K-HZ20/2/R

THICKNESS OF DRIVING LINK 3MM

Scraper type SK	NR PRINZ	K-S20/3/R
Chipper type HZ	NR PRINZ	K-HZ20/3/R



**SET OF SPARE PARTS FOR
SAW CHAIN**

THICKNESS OF DRIVING LINK 2MM

Scraper type SK	NR PRINZ	KZ-SACK.S20/2
Chipper type HZ	NR PRINZ	KZ-SACK.HZ20/2

THICKNESS OF DRIVING LINK 3MM

Scraper type SK	NR PRINZ	KZ-SACK.S20/3
Chipper type HZ	NR PRINZ	KZ-SACK.HZ20/3



**SPROCKETS, PULLEYS FOR STATIONARY AND MOBILE SAWS
PRINZ TKS, BPS, MOBIL CUT / NAMA**

SPROCKET



DRILL HOLE 24MM, 8 TEETH	
NR PRINZ	ARTKS24/20
DRILL HOLE 38MM, 8 TEETH	
NR PRINZ	ARTKS38/20
DRILL HOLE 42MM, 8 TEETH	
NR PRINZ	ARTKS42/20



PULLEY

DRILL HOLE 17MM, GROOVE 2MM	
NR PRINZ	GRTKS2
DRILL HOLE 17MM, GROOVE 3MM	
NR PRINZ	GRTKS3

* available also in execution for different types of saw chains

PRINZ Polska

ŁAŃCUCHOWE SYSTEMY TNĄCE

PL 60-175 Poznań, ul. Tulipanowa 4
tel. +48 61 863 80 88 fax +48 61 863 80 99
info@prinz-polska.com.pl
www.prinz-polska.com.pl