



FOR INDIVIDUAL PROJECTS

WOOD INDUSTRY

PROFICUT exact

PROFICUT exact with a guiding arch enables simple integration with the package feeding / outfeeding roller table. Precise arch guiding of the cutting unit in combination with the lubrication system built into the rail head guarantees accurate (± 2 mm) cuts. The saw is available with 7.5 kW and 11 kW motor.

- + Benefits: universally applicable solution for cross-cutting of packages and round timber



BASIC BLOCK

BASIC BLOCK is a compact and massive cutting unit; this is the basic model amongst PRINZ cutting systems for individual installations. Available with 7.5 kW, 11 kW and 15 kW motor. Delivered with a chain lubrication system with a 5-litre oil tank and a chain tensioning system.

- + Benefits: suitable for mobile as well as stationary solutions



UNI BLOCK

This cutting unit is intended to be built into an existing manipulation line. Available with 7.5 kW, 11 kW and 15 kW motor. Equipped with a massive hydraulic cylinder, as well as a rotating unit for guide bar feed. The standard version is equipped with a saw chain lubrication and tensioning system. The unit can be composed of various elements (see options below) according to individual needs.



OPTIONS

rail head with absorbing and tensioning system • arch guide or stabilization bar for the cutting unit • hydraulic unit • customised control systems



Errors and misprints excepted



PRINZ
KETTENSAGETECHNIK