

NOW WITH DOUBLE GUIDE ARCH AND ELECTRIC FEED FOR  
CUT FOR MORE PRECISE GUIDANCE OF THE SAW BAR!

# PACKAGE SAWS

WITH ARCH GUIDING

WOOD INDUSTRY


## MOBILCUT STATE LINE

MOBILCUT STATE LINE is a stationary machine with a moving saw unit and a fixed package. Positioning of the saw unit is performed manually using a crank; the guide bar moves along a double guiding arch, which improves the accuracy of cutting to  $\pm 2$  mm. The machine is characterised by simple operation and a solid stable structure. A 7,6 metre-long frame enables installation of the saw in the places where working space is limited.



### TECHNICAL DATA

cutting motor 7,5 kW • manual cutting unit feed • for packages with max. dimensions 600 x 130 x 130 cm (L x W x H) • digital length indication •  $\pm 2$  mm cut accuracy • double arch guide



## MOBILCUT HIGH LINE & TOP LINE

In comparison with MOBILCUT STATE LINE, the MOBILCUT HIGH LINE station is equipped with electric feed of the cutting unit and is even more efficient through the motor of 11 kW.

### TECHNICAL DATA

cutting motor 11 kW • electric cutting unit feed • for packages with max. dimensions 600 x 130 x 130 cm (L x W x H) • digital length indication • +/- 2 mm cut accuracy • double arch guide



Additionally, the MOBILCUT TOP LINE offers electric feed of the saw unit (left / right) and a length measuring system with the possibility of programming eight cut lengths.

### + OPTIONAL: PNEUMATIC PRESSURE PAD, KERF OPENING SYSTEM




# CROSSCUT

The CROSSCUT complements the range of PRINZ crosscut saws with an arch guide frame. In this model, the saw is fixed to the loading frame and a travelling carriage positions the stacks. The machine is available with the manual cut function and PLC control. Many options are available: kerf opening, strapping systems and much more.



## TECHNICAL DATA

- cutting motor 11 kW
- electric feed of the cutting unit
- for packages with max. dimensions 600 x 130 x 130 cm (L x W x H)
- +/- 2 mm cut accuracy
- double arch guide



Errors and misprints excepted.

